
VEGA B 55x200







MESH PANELS VEGA B 55x200

Intended use: VEGA B 55x200 mesh panels are a universal solution that can be used both in industrial and residential areas. Mesh panels are installed around residential houses, parks, gardens, public use buildings, playgrounds, as well as around factories, various sorts of storage and warehouse areas.



PROVEN TECHNOLOGY

The VEGA B 55x200 panel is welded using raw wire, next it is hot-dip galvanized or electrogalvanized and then powder coated. Special features of the panel manufactured using this technology are reliable welds and elimination of possible corrosion centres.



RESISTANT TO CORROSION

Mesh panels are subjected to strict testing in our in-house laboratory which checks the product's corrosion-resistance. This allows us to offer a product with excellent quality parameters



UNIVERSAL INSTALLATION

VEGA B 55x200 panels can be mounted on 4 types of posts using 6 types of fixing accessories available from WIŚNIOWSKI.



PART OF A SYSTEM

The VEGA B 55x200 mesh panel is an integral part of the fence. It can be installed together with the PI 95, PI 130, PI 200 sliding gate, BASTION or MODEST system double-leaf gate or wicket.



Product description

General description

TECHNICAL DATA SHEET

VEGA B 55x200 panels belong to the 3D panel group. Embossing is the special feature of this product group. Embossing adds extra rigidity to panels. The number of embossed elements depends on the panel height.

Area of application

VEGA B 55x200 mesh panels are a universal solution that can be used both in industrial and residential areas. Mesh panels are installed around residential houses, parks, gardens, public use buildings, playgrounds, as well as around factories, various sorts of storage and warehouse areas.

Technical data

Panels


VEGA B 55x200 panels are spot welded using single steel bars. VEGA B 55x200 panels are terminated with extended 30 [mm] long bars on one end, in the bottom or top section of the fence.



VEGA B 55 x200 panel available heights

Wire gauge of the hot-dip galvanized panel Wire gauge of the DUPLEX system panel Straight mesh size Small mesh size

4,8 [mm] 5,0 [mm] 55x200 [mm] 55x50 [mm]





Post - installation methods

VEGA B 55x200 panels can be mounted on 4 types of posts using 6 types of fixing accessories available from WIŚNIOWSKI. The panels can be installed in a flat or inclined area, directly above the ground or using a concrete plank. Posts can be installed directly in the ground or on a concrete foundation using base plates.



Galvanized sheet profile post A proprietary solution by WIŚNIOWSKI. The post profile has been designed to provide maximum safety to users (the nut is con-cealed in the profile recess of the post). The post is supplied with plastic caps and holes for easy installation

- Colours: posts are available in galvanized and galvanized + polyester coating versions.
- Accessories: Installation is done with an M8x70 [mm] stainless steel hook screw and M8 stainless steel shear nuts. Panels are connected with fasteners using pliers available from WIŚNIOWSKI.





Galvanized sheet profile post coated with polyester paint. A proprietary solution by WIŚNIOWSKI. The post is supplied with plastic caps and holes for easy installation.

- Colours: posts are available in galvanized + polyester coating ver-sion.
 Available colours: RAL 6005, grey similar to RAL 7016, black similar to RAL 9005.
- Accessories: Panels are installed using accessories including: plastic mounting clips specific to VEGA B 55x200 panels (for 5 [mm] wire gauge), M6 hex screws, washers, M6 nuts, plastic caps).

OMEGA system



Post made of a 60x40x1.5 [mm] section,

post h=3,200 [mm] 60x40x2 [mm]. The post is fitted with plastic caps.

- Colours: posts are available in galvanized and galvanized + polyester coating versions.
- Accessories: Panels are mounted on posts using rectangular steel clamps.
 Clamps are available in galvanized and galvanized + poly-ester coating versions. Accessories include: metal clamp; dedicated plastic clips for VEGA B panels (up to 5 [mm] wire gauge), M8x25 [mm] stainless steel el screws, stain-less steel washers, M8 stainless steel shear nuts. Fixing clamps are available in middle, corner, and end versions.

OMEGA D1 system



Post made of a 60x40x1.5 [mm] section.

post h=3,200 [mm] 60x40x2 [mm]. The post is fitted with plastic caps.

- Colours: posts are available in galvanized and galvanized + polyester coating versions.
- Accessories: Panels are mounted to posts using Omega D1 clamps. Clips are made of high quality PA 6 polyamide, while clamps are made of Inox M6 stainless steel. The set includes two nuts and two plastic caps. Clamps have a uni-versal colour and can be used with middle posts, corner posts. and end posts.

OMEGA D2 system



Post made of a 60x40x1.5 [mm] section,

post h=3,200 [mm] 60x40x2 [mm]. The post is fitted with plastic caps.

- Colours: posts are available in galvanized and galvanized + polyester coating versions.
- Accessories: Panels are mounted to posts using OMEGA D2 clamps. Clamps are made of high quality PA 6 polyamide, while the fastening element is made of Inox M6 stainless steel. The set includes two nuts and two plastic caps. Clamps have a universal colour and can be used with middle posts, corner posts, and end posts.

OMEGA SAFE system



- Post manufactured by WIŚNIOWSKI Sp. z o.o. S.K.A
- · Post cross-section 60x40 [mm]
- •The post is fitted with a plastic cap (available colours: RAL 6005 (gre en), RAL 7016 (graphite), RAL 9005 (black), RAL 7040 (light grey)
- •Corrosion protection: hot-dip ga Ivanizing or galvanizing + polyester coating. Available with the Omega as well as Omega D1 and D2 installation options



Base plates

Rectangular





VEGA B 55x200 panel installation options

VEGA B 55x200 MESH PANEL											
Fence height [mm]	Panels width x height [mm]	Number of profile recesses on the panel	Post BETA SAFE			Post GAMMA		Post OMEGA, OMEGA D1, OMEGA D2		Post OMEGA SAFE	
			hook screws 70 [mm]	Fasteners	Post length	Quantity of accesories	Post length	Quantity of clamps	Post length	Quantity of clamps	Post length
700	2500x630	2	2	2	1000	3	1000	2	1000	2	1000
900	2500x830	2	2	2	1300	3	1300	2	1300	2	1300
1100	2500x1030	2	3	4	1500	3	1500	2	1500	2	1500
1300	2500x1230	2	3	5	1700, 2000*	3	1700, 2000*	2	1700	2	1700
1600	2500x1530	3	4	5	2000, 2400*	3	2000, 2400*	3	2000	3	2000
1800	2500x1730	3	4	6	2400, 2600*	3	2400, 2600*	3	2400	3	2400
2000	2500x1930	4	5	6	2600	3	2600	4	2600	4	2600
2100	2500x2030	4	5	6	2600	3	2600	4	2600	4	2600
2500	2500x2430	4	6	8	-	-	-	4	3200	4	3200

^{*) - *) -} Recommended post height when posts are set in the ground using a concrete plank.


Mesh panel manufacturing and coating technology

Mesh panels are welded using raw wire. The panels are manufactured in accordance with the PN-EN 10223-7:2013-05 standard. The mesh panel can be protected from corrosion by hot-dip galvanizing (in accordance with EN ISO 1461:2000) or electrogalvanizing (in accordance with PN EN ISO 2081:2011) and polyester coating (in accordance with EN 10244-2:2010). The combination of the zinc and varnish coatings in the DUPLEX system substantially contributes to extending the life of WiŚNIOWSKI fences. We offer 10 year anticorrosion guarantee on our coated panels.



Please note: Colours and gloss grades presented in this publication are for reference only.





Not available.

VEGA B 55X200 MESH PANELS



NOTES

Build an extensive industrial fencing system



The WIŚNIOWSKI fences are a system of solutions ensuring comprehensive protection for your property. Our residential and industrial product range includes modern steel, profile, and panel fences. Reliable, high quality, and durable, our fences also boast elegant and stylish look. WIŚNIOWSKI's comprehensive offer makes closing off your property simple and reflects great care for safety, security, and appearance. **Take advantage of our complete range and build your own fencing.**



Fence system with the MODEST gate and wicket combined with the VEGA B 55x200 mesh panel infill





WIŚNIOWSKI Sp. z o.o. S.K.A. PL 33-311 Wielogłowy 153 Tel. +48 18 44 77 111 Fax +48 18 44 77 110

www.wisniowski.eu

N = 49° 40′ 10″ | E = 20° 41′ 12″





