

# Welcome to the world of garage doors by WIŚNIOWSKI


WIŚNIOWSKI garage doors combine a robust structure with timeless design, and your safety with utmost comfort. See how innovative technology makes life easier.


In the world of WIŚNIOWSKI garage doors, you will find solutions for any project. No matter what, you can be certain of their high quality and perfect tailoring to your needs.

WIŚNIOWSKI garage doors are energy-efficient and prevent heat loss. Searching for products for thermal efficiency improvement? WIŚNIOWSKI garage doors are the perfect choice.

5

up to 5 years **warranty** 





### **UniTherm**

guaranteed at least 25,000 cycles

automatic operating units for **the smart home as standard** 

galvanized structure
(optionally painted)

INNOVO 60 mm panel

Up=0.33 W/m<sup>2</sup>K

**double** rollers with bearings

flexible panel joint covers

double bottom gasket



class: **premium** 



#### PRIME

guaranteed at least 25,000 cycles

automatic operating units for **the smart home as standard galvanized** and powder-coated **structure** 

INNOVO 60 mm panel

Up=0.33 W/m<sup>2</sup>K

double rollers with bearings

flexible panel joint covers

double-chamber bottom gasket

**optical safety system** and safety system for mechanical elements



class: exclusive

# PRIME









**Excellent thermal insulation** 0.33 W/m<sup>2</sup>K



The highest level of safety



At least 25,000 cycles for the garage door



The highest **aesthetics** of workmanship

## Safety

## in the exclusive dimension



Class: exclusive

PRIME is an exclusive new generation sectional garage door. Its design was based on the idea that every detail matters. Thanks to utmost attention to detail, you get a product that is one of a kind. Packed with exceptional solutions, unique elements, unequalled in terms of design and technology. The garage is no longer just a storage space – it is a part of your home you care for when choosing the PRIME garage door.





#### Safe and warm



Optical safety system



Safety system for mechanical elements



Double-lip gasket in the fascia panel



Circumferential gasket (double-lip)



Double-chamber bottom gasket



Top aluminium profile with a gasket

#### One of a kind: PRIME Black Edition.


A garage that's beautiful inside and out?
PRIME Black Edition is a unique garage door
with the inner part coated in black, which can be
combined with an almost unlimited number of colour
variants of the front of the door. Utmost freedom of
customization.





Discover more details on the PRIME garage door

# UniTherm









Excellent thermal insulation 0.33 W/m²K



The highest **level of safety** 



RC2 anti-burglary **protection** 

### A modern solution

## for the garage



class: premium

UniTherm is a PREMIUM class garage door – designed with demanding energy-efficient and passive buildings in mind. The warm structure of the INNOVO panels will allow you to lower your heating bills – UniTherm is over 20% warmer than the market standard! With the UniTherm garage door, we recommend the MOTO io, METRO Smart io or SPARK drive unit – an ideal set for your home!





#### **Functionality and safety**



**Double rollers with bearings** ensure quiet running of the garage door leaf.



Flexible panel joint seals increase tightness and conceal the hinges.



Overload safety device causes the garage door to automatically stop and reverse if it encounters an obstacle.



Photocells (optional) prevent uncontrolled movement of the door leaf if an obstacle is present within the clear passage.





**Integrated spring break** safety device. A guarantee of safety.



**Safe panel shape** prevents fingers from getting crushed.










Discover more details on the UniTherm garage door

# UniPro









The highest level of safety



RC2 anti-burglary protection



At least 25,000 cycles for the garage door

### The best

### as standard



class: standard

UniPro is a versatile garage door that will be a great choice for both stand-alone garages and those integrated with the building. Choose from five types of panel ribs, four structures, glazings, hundreds of colours, different framework types, and as many as 44 film coatings. Thanks to the simple and proven structure, it is reliable and easy to install, which will allow you to save a lot of time and money.



efficiency



#### Quality you can trust



Double-lip circumferential gasket effectively improving thermal insulation.



**Quiet guiding rollers** with bearings ensuring quiet running of the leaf



Integrated spring break safety device. A guarantee of safety.



Cable break safety device - standard in garage doors with a surface of 9 m<sup>2</sup> or larger.



Overload safety device - causes the garage door to automatically stop if it encounters an obstacle



Top panel tilt\* - the kit makes it possible to tilt the top panel of the garage door without the need to lift the door.

#### **WICKET DOOR** IN THE UniPro garage door

- an option enhancing garage functionality and guaranteeing daily comfort of use. An aesthetically finished wicket door is a functional solution for a garage without a side entrance door. You do not have to fully open the garage door to get inside. This translates into energy and time savings.

#### THE **HORIZON PANEL**

- one of the most interesting optional features for WIŚNIOWSKI garage doors. The slender and very elegant

glazing is an element enhancing the design of the garage door and at the same time, it serves a practical function, letting more light into the garage interior. This subtle feature now has a new variant: with LED lighting.





Discover more details on the UniPro garage door

# RenoSystem SNP and SSt

# renovation made to measure

Our aim is to make garages more modern, energy-efficient,

and comfortable. Thanks to the renovation system, modern sectional garage doors from WIŚNIOWSKI can be installed in existing garage door openings - even in more challenging spaces - without a lintel or side jambs.



#### Renovation

without limits.

- Special structure for installation if there is no lintel or side jambs
- Panel fascia levelling the surface of the walls
- A broad spectrum of solutions for various installation challenges
- · Adaptable installation options with a cover in front of, behind or in the opening







Covers in the same colour as the garage door leaf - for a better visual effect.





More details on renovation solutions

Installation behind the opening cover behind the opening





Installation in the opening cover in the opening





Installation in the opening cover in front of the opening





# **UniPro SNP 2.0**

# a perfect renovation solution

The UniPro SNP 2.0 sectional garage door is intended for buildings with a low lintel, where there is not enough space under the ceiling, as well as for garages with a narrow side clearance, where the installation of standard solutions is impossible.

#### Reliable structure

#### and control

- The product is available in a manually-operated or automatic version with the METRO Smart io, MOTO io or SPARK drive unit.
- The height of the lintel of the UniPro SNP 2.0 garage door should be at least 90 mm (manually operated version) / 100 mm (automatic version with the MOTO/METRO drive unit) / 120 mm (automatic version with the SPARK drive unit).

The product is a perfect choice for stand-alone and attached garages, renovated or new.

- A special angle bar system enables garage door installation even in the case of a narrow side clearance with covers in the clear opening, ensuring an appealing look from the outside.
- As standard, the UniPro SNP 2.0 garage door is equipped with covers, always in the colour of the door leaf.





Looking for a garage door that will last for years? Then this is a great choice because one of the most important elements of the UniPro garage door – the extension spring system – was designed for 20,000 opening and closing cycles. Assuming four cycles per day, this means **up to 14 years of reliable operation.** 

Side gasket + cover in the garage door colour for even better tightness and a sleek look. **Guide rails fastened to the opening frame,** enabling adjustment on site.

Universal installation method with the option of cover installation in the opening.

An arrow at the height of 950 mm, facilitating precise installation of the structure.

**Double installation fixing holes**facilitating mounting on the wall.

**Guiding rollers with bearings** ensuring proper running of the garage door.













# **Automation solutions**

# Perfection in motion

An automatic garage door is the most functional solution for the home. A premium-class drive unit enhances the comfort of use of the garage, increases safety, and enables remote control from almost any place in the world.

Remember to commission crucial service work on your garage door with a drive unit only to trusted specialists, whose expertise will guarantee peace of mind for years to come.



**Compare and choose** 

a drive unit for your garage door

#### **METRO Smart io**

- · Easy programming
- · 4-channel PULSAR io transmitter
- 3CH wall-mounted transmitter
- io radio transmission
- KEYPAD 2 code keypad
- · Signal light
- Overcurrent obstacle detection
- · Compatible with photocells
- Optional mechanical carriage lock
- Compatible with an emergency power supply battery
- Optional additional lighting available
- · Rail with a chain or belt
- Smart home a wireless system
- Warranty 5 years

#### MOTO io

- Easy programming
- · 2-channel PULSAR io transmitter
- 3CH wall-mounted transmitter
- io radio transmission
- KEYPAD 2 code keypad
- · Signal light
- Overcurrent obstacle detection
- · Compatible with photocells
- Optional mechanical carriage lock
- Compatible with an emergency power supply battery
- Rail with a chain or belt
- Smart home a wireless system
- Warranty 5 years

#### **SPARK**

- Easy and quick programming
- DART/DART Vibe four-channel transmitter
- · 2CH wall-mounted transmitter
- WIŚNIOWSKI 868 radio transmission
- ENTRACode+ code keypad
- Signal light
- Overcurrent obstacle detection
- · Compatible with photocells
- Compatible with an electromagnetic motor lock
- Compatible with an emergency power supply battery
- · Optional additional lighting available
- · Split rail with a fixed chain
- Smart home a wireless system
- Warranty 5 years





transmitter

#### **METRO Smart io**

A complete drive unit: packed with state-of-the-art solutions that will make your everyday life as safe and comfortable as possible. METRO Smart io combines all the best features without compromise or limitations.

The drive unit was developed jointly by WIŚNIOWSKI and Somfy, a global leader in automation solutions and smart control systems.





#### **MOTO** io

The MOTO io - a result of collaboration between WIŚNIOWSKI and Somfy - combines the most important characteristics of a safe, functional, and reliable drive unit. As standard, it provides all the crucial features that you can expand thanks to our range of accessories.





PULSAR io 2-channel



#### **SPARK**

WIŚNIOWSKI 868 MHz

Yet another modern solution in our range of automatic operating units for garage doors. It combines all the features of a state-of-the-art drive unit for garage doors - from easy programming to the possibility of control via the WIŚNIOWSKI Connected app. It offers a number of control and safety solutions and makes it possible to optimally design a functional and practical garage.

### Live more comfortably with smartCONNECTED

#### TaHoma switch the right solution for you if:

- · You want to centralize control of the devices at your home
- You have a sectional or up and over garage door with the MOTO io or METRO Smart io drive unit
- · You are planning to add more smart devices





#### WIŚNIOWSKI Connected the right solution for you if:

- You want to control your garage door via Wi-Fi
- · You have a sectional or up and over garage door with the SPARK drive unit
- You are planning to add more smart devices

### LED lighting in the garage door structure. More light and functionality

Enjoy powerful, energy-efficient lighting in your garage with modern LED lights mounted directly to the door structure under the tracks and the track connector. Stylish black aluminium profiles match any doors - both new and existing ones! In doors equipped with the METRO Smart io or SPARK automatic operating units, the lighting switches on automatically together with the door drive unit. However, in the METRO Smart io drive, the lighting can also be controlled remotely using a transmitter or the TaHoma app.



### **Garage ventilation feature**

A practical feature which makes it possible to air the garage without opening the entire door. The interior of the building is fully secure, as only the top panel is tilted.



### METRO Smart io and MOTO io automatic operating unit accessories



#### KEYPAD 2 code keypad

Enables drive unit control in the io-homecontrol technology. The 2-channel code keypad makes it possible to control drive units and radio receivers.



#### Mechanical lock of the carriage

It prevents the garage door from being opened from the outside by unauthorized persons, e.g. by prising it open. It increases the safety of the garage and the entire house.



#### 3CH wall-mounted transmitter

The 3-channel transmitter makes it possible to control drive units and radio receivers. Examples of use:

- - full opening/closing of the door,
- •• LED lighting under the tracks and/or track connector,
- ••• top panel tilt.

Wireless communication makes it possible to install it in any place and doesn't require any cables.



#### External io radio receiver

Lets you control the drive units using the Pulsar transmitter. It is a two-channel device where you can program as many as 16 transmitters.



#### **Photocells**

prevent uncontrolled door leaf movement when an obstacle is present within the clear passage.



#### **Emergency power supply battery**

It provides power for several cycles of emergency operation in case of a power outage: for instance, in order to drive out of or into the garage.

### SPARK automatic operating unit accessories



## DART/ DART VIBE remote control transmitter

Control several drive units simultaneously with a single transmitter!

DART Vibe confirms signal reception with a vibration feature – ensuring confidence and comfort at all times.



#### Photocells 180

They prevent uncontrolled door leaf movement when an obstacle is present within the clear passage.



#### 2CH wall-mounted transmitter

A two-channel transmitter for drive unit control with radio transmission.

A LED indicator shows the door position - you always know whether it is open or closed.



#### Frame-mounted photocells

Only two cables (any polarity) – and it's ready! Self-installation kit with a cable included. Mounted in the vertical

opening frame profiles – a discreet and effective protection against trapping. Range: 8 m.



#### WIŚNIOWSKI 868 radio receiver

It makes it possible to control other drive units with the DART and DART Vibe transmitters, and the 2CH wall-mounted transmitter. The two-channel device operating at the frequency of 868 MHz supports up to 40 transmitters. A solution which makes it possible to install and extend the control system

without the need to drill holes in the wall. It is a perfect solution for modernization or renovation projects.



#### LOCK - motor lock

Electromagnetic drive unit lock active in any door position.

Withstands pressure up to 300 kg - effective protection against forced opening attempts.

A perfect addition to the security system.



#### ENTRAcode+ code keypad

Illuminated, wireless surface-mounted keypad – convenience and security in a modern form.

An individual access code allows you to open the door without a key or remote control.

No cables = quick and easy installation.



#### Transmitter clip

A practical holder for attaching the DART and DART Vibe transmitters to the sun visor in the car. Convenience and quick access while

Convenience and quick access while driving.



#### Output - signal board

Additional board with a signal output. Information about the position of the door: door not open (NO)/door not closed (NC). Compatible with wired smart home systems.

### **Optional accessories**



#### RELAY - additional transmitter

An additional transmitter with the NC/NO output enabling, e.g., switching on lights in the garage and external lights, or providing information about the position of the door: door not open (NO) / door not closed (NC). Compatible with wired smart home systems.





#### CONEX - output board

Additional board with signal, impulse inputs, whose inputs were defined for opening and closing. Compatible with wired smart home systems.

# **Up and over garage doors**

# a proven classic.







solution



Perfect for standalone garages



In the most popular colours




Read more about up and over garage doors

### Simple design

and reliable operation

Up and over garage doors are a popular and reliable solution, valued for their simple design and ease of use. Available in insulated and uninsulated versions, with a wide range of models and colours, they can be tailored to individual needs.



# Single- and double-leaf garage doors

# quality at an affordable price.



### Simply proven,

simply good.

**Single- and double-leaf doors** are the most economical closure system for a garage. Simple and proven solutions guarantee an affordable price and reliable operation.

- Frame elements made of galvanized steel profiles.
- High stability thanks to screwed joints.
- Durable panels infilling the leafs made of high-quality galvanized T10 steel sheet.
- Safeguard preventing the garage door from being prised open thanks to a reliable hinge lock.
- Opening limiter protecting the garage door leaf from being opened too wide.
- Support foot preventing the garage door from closing in an uncontrolled manner.
- Self-latching bolt facilitating closing.
- Various models, colours, and designs to choose from.
- Infill available in a vertical, horizontal or slanted orientation.
- Optionally available with thermal insulation.



An economical solution



Perfect for standalone garages



In the most popular colours s



Read more about single- and double-leaf garage doors



Design 9 - horizontal high



Design 8 - horizontal low - shutter







Design 1 - horizontal low



Design 7 - slanted "SA"



Design H - horizontal high



Garage door with portholes



# **Accessories and colour options**

# for sectional garage doors

4 structures. A detail highlighting the garage door design.









Woodgrain

Smoothgrain

Sandgrain

Silkline

**5 rib designs.** Classic or modern? Choose the style that suits you.











K - caisson ribs

Example decorative motifs and design options. Customize your garage door by taking advantage of all the available options.











#### **Available colours:**




All sectional door panels with the woodgrain and silkline texture are available in RAL colours.



# Home Inclusive.

# A system created for harmony






# **Find inspiration**

and bring your dreams to life!





















**Side doors.** Aluminium panel doors can be perfectly matched to garage doors. Their infill is the very panel used for manufacturing the sectional door leaf.







### **Extended Care**


5

up to 5 years warranty

The EXTENDED CARE warranty
offers a unique possibility
to extend the warranty on
automatic sectional garage doors
factory-configured with the
METRO Smart io, MOTO io
or SPARK drive unit.







### Where to buy



Scan the QR CODE and **find a point of sale!** 

www.wisniowski.pl/en/distribution

### Perfection in every detail

#### WIŚNIOWSKI Sp. z o.o. S.K.A.

33-311 Wielogłowy, Poland





The products shown in the photographic material often feature special accessories and do not always correspond to their standard versions • This brochure does not constitute an offer within the meaning of the Polish Civil Code. • The manufacturer reserves the right to introduce changes without notice. • NOTE: The colours shown in this brochure are for reference only • All rights reserved • Copying and use, in part or in full, is prohibited without the consent of WIŚNIOWSKI Sp. z o.o. S.K.A. • 11/25/EN





