

ALU WINDOWS



WIŚNIOWSKI

GATES | WINDOWS | DOORS | FENCES

FUTURO **Genesis 75**

The Genesis 75 window is a modern solution in the field of aluminium systems, combining aesthetics with high energy efficiency.

THERMAL INSULATION

The U_w thermal transmittance factor is 0.77 W/m²K.

DESIGN

The Genesis 75 is characterized by universal design, but also offers a broad range of colours that allow you to match its appearance to your preferred style.

THINK ABOUT THE FUTURE - PRODUCTS FOR THERMAL EFFICIENCY IMPROVEMENT

An investment in an energy-efficient door from WIŚNIOWSKI does not only save you money, but also helps you protect the natural environment.



FUTURO GENESIS 75



WINDOW CHARACTERISTICS:

- A three-chamber window and door system with improved thermal insulation
- Opening frame depth: 75 [mm]
- The depth of the standard leaf is 84 [mm], for the concealed version – 79.5 [mm]
- A broad selection of sections, enabling the design of modern, highly functional windows, doors, and fixed windows
- Innovative insulation materials and double sealing guarantee perfect tightness
- Versatile solution for public utility buildings and residential construction
- Sound insulation up to $R_w = 45 (-1,-3)$ dB * when special glass is used
- Thermal insulation of the reference RU window with the dimensions of 1.23 [m] x 1.48 [m] $U_w = 0.77 \text{ W/m}^2\text{K}$ with a triple-glazed unit $U_g = 0.5 \text{ W/m}^2\text{K}$
- Available colours: RAL structure, film coatings

STANDARD ACCESSORIES

Siegenia TITAN AF hardware:

- KoPiBo movable anti-burglary bolts (mushroom cams) with automatic height adjustment.
- Striker plate with a lift roller (inliner) in the lower corner.
- Two anti-burglary striker plates as standard, increasing tightness and making it difficult to force the leaf open.
- A mishandling device.
- Stay locking support and anti-slam device.
- For the concealed leaf (SU), concealed hardware is standard.

ADDITIONAL FEATURES

Windows equipped with the Siegenia TITAN AF hardware include the following elements:


- KoPiBo movable, rotary anti-burglary bolts (mushroom cams) – provide high durability, precise fit, and automatic adjustment of the height of the mushroom cams, which enables smooth operation with frame elements, regardless of the temperature-induced changes in window dimensions.
- Striker plate with a lift roller (inliner) – located in the lower corner of the frame, it facilitates placing the leaf into the frame, acting as a lifter.
- Two anti-burglary striker plates – work with the rotary bolts, increase window tightness, and make it difficult for a burglar to force the leaf open thanks to the presence of a metal orifice. All the TITAN AF striker plates are steel.
- A mishandling device – prevents the handle from being turned when the window is open or ajar.
- Stay locking support and anti-slam device – facilitates the closing of wide leafs and prevents the tilted leaf from slamming shut in the event of a draught.
- Optionally: for a standard leaf – concealed hardware – all the hardware components are concealed in the window rebate, which improves aesthetics and makes it easier to maintain cleanliness. The load capacity of the concealed hinges is 130 kg.



CROSS-SECTIONS AND VIEWS

FUTURO Genesis 75 – fixed glazing

As seen from the inside




Descriptive dimensions:

S skrz – leaf width,
So – opening width,
S – window ordering width,
Ho – opening height,
H – window ordering height,
Hp – understructure height


Cross-sections

Vertical cross-section
Standard frame




Frame GN011

Vertical cross-section
High frame




Frame GN012

Horizontal cross-section
Standard frame




Horizontal cross-section
High frame





FUTURO Genesis 75 - tilt and turn single-leaf window

As seen from the inside




Descriptive dimensions:

S skrz - leaf width,
 So - opening width,
 S - window ordering width,
 Ho - opening height,
 H - window ordering height,
 Hp - understructure height

Cross-sections

Vertical cross-section


Standard frame + standard leaf (narrow)



GN011 65 mm frame + GN7209 77.5 mm leaf

Vertical cross-section


Standard frame + intermediate leaf



GN011 65 mm frame + GN7219 87.5 mm leaf

Horizontal cross-section


Standard frame + standard leaf (narrow)



GN011 65 mm frame + GN7209 77.5 mm leaf

Horizontal cross-section

Standard frame + intermediate leaf




GN011 65 mm frame + GN7219 87.5 mm leaf



Vertical cross-section


Standard frame + wide leaf



GN011 65 mm frame + GN7229 97.5 mm leaf

Vertical cross-section


High frame + standard leaf (narrow)



GN012 75 mm frame + GN7209 77.5 mm leaf

Horizontal cross-section


Standard frame + wide leaf



GN011 65 mm frame + GN7229 97.5 mm leaf

Horizontal cross-section


High frame + standard leaf (narrow)



GN012 75 mm frame + GN7209 77.5 mm leaf




Vertical cross-section
High frame + intermediate leaf




GN012 75 mm frame + GN7219 87.5 mm leaf

Vertical cross-section
High frame + wide leaf




GN012 75 mm frame + GN7229 97.5 mm leaf

Horizontal cross-section
High frame + intermediate leaf



GN012 75 mm frame + GN7219 87.5 mm leaf

Horizontal cross-section
High frame + wide leaf




GN012 75 mm frame + GN7229 97.5 mm leaf



FUTURO GENESIS 75 – concealed leaf - tilt and turn single-leaf window

As seen from the inside




Descriptive dimensions:

S skrz - leaf width,
So - opening width,
S - window ordering width,
Ho - opening height,
H - window ordering height,
Hp - understructure height


Cross-sections

Vertical cross-section
Standard frame + standard leaf




GN914US 82 mm frame + GN9229 62 mm

Vertical cross-section
High frame + standard leaf




GN910US 87 mm frame + GN9229 62 mm

Horizontal cross-section
Standard frame + standard leaf




Horizontal cross-section
High frame + standard leaf





FUTURO Genesis 75 - single-leaf window + fix

As seen from the inside




Descriptive dimensions:

S skrz - leaf width,
 So - opening width,
 S - window ordering width,
 Ho - opening height,
 H - window ordering height,
 Hp - understructure height


Cross-sections

Horizontal cross-section
Standard frame + standard leaf (narrow)




GN011 65 mm frame + GN7209 77.5 mm leaf + GN031 90 mm mullion + FIX

Horizontal cross-section
Standard frame + intermediate leaf



GN011 65 mm frame + GN7219 87.5 mm leaf + GN032 100 mm mullion + FIX


Horizontal cross-section
Standard frame + wide leaf



GN011 65 mm frame + GN7229 97.5 mm leaf + GN032 100 mm mullion + VL148 inside



Horizontal cross-section
Standard frame + wide leaf




GN011 65 mm frame + GN7229 97.5 mm leaf + GN032 100 mm mullion + VL148 outside

Cross-sections

Horizontal cross-section


High frame + standard leaf (narrow)



GN012 75 mm frame + GN7209 77.5 mm + GN031 90 mm mullion + FIX

Horizontal cross-section


High frame + intermediate leaf



GN012 75 MM + GN7219 87.5 mm leaf + GN032 100 mm mullion + FIX

Horizontal cross-section


High frame + wide leaf



GN012 75 mm frame + GN7229 97.5 mm + GN032 100 mm mullion + VL148 inside

Horizontal cross-section

High frame + wide leaf




GN012 75 mm frame + GN7229 97.5 mm leaf + GN032 100 mm mullion + VL148 outside



FUTURO GENESIS 75 – concealed leaf - single-leaf window + fix

As seen from the inside




Descriptive dimensions:

S skrz - leaf width,
 So - opening width,
 S - window ordering width,
 Ho - opening height,
 H - window ordering height,
 Hp - understructure height


Cross-sections

Horizontal cross-section
Standard frame + standard leaf



GN914US 82 mm frame + GN9229 62 mm leaf + GN931 112 mm mullion

Horizontal cross-section
High frame + standard leaf




GN910US 87 mm frame + GN9229 62 mm leaf + GN931 112 mm mullion



FUTURO Genesis 75 - FIX fixed window

As seen from the inside




Descriptive dimensions:

S skrz - leaf width,
So - opening width,
S - window ordering width,
Ho - opening height,
H - window ordering height,
Hp - understructure height


Cross-sections

Horizontal cross-section
Standard frame




GN011 65 mm frame + GN031 90 mm mullion

Horizontal cross-section
Standard frame



GN011 65 mm frame + GN032 100 mm mullion

Horizontal cross-section
Standard frame




GN011 65 mm frame + GN031 90 mm mullion + VL148 inside



Cross-sections

Horizontal cross-section


Standard frame



GN011 65 mm frame + GN032 100 mm mullion + VL148 inside

Horizontal cross-section


High frame



GN012 75 mm frame + GN031 90 mm mullion + VL148 inside

Horizontal cross-section


High frame



GN012 75 mm frame + GN031 90 mm mullion + VL148 outside

Horizontal cross-section

High frame




GN012 75 mm frame + GN032 100 mm mullion + VL148 inside



FUTURO GENESIS 75 – concealed leaf - FIX fixed window

As seen from the inside




Descriptive dimensions:

S skrz - leaf width,
So - opening width,
S - window ordering width,
Ho - opening height,
H - window ordering height,
Hp - understructure height


Cross-sections

Horizontal cross-section
Standard frame



GN914US 82 mm frame + GN930 144 mm

Horizontal cross-section
High frame




GN910US 87 mm frame + GN930 144 mm



FUTURO Genesis 75

- double-leaf window with a fixed mullion

As seen from the inside




Descriptive dimensions:

- S skrz - leaf width,
- So - opening width,
- S - window ordering width,
- Ho - opening height,
- H - window ordering height,
- Hp - understructure height


Cross-sections

Horizontal cross-section
Standard frame + standard leaf (narrow)




GN011 frame + GN7209 77.5 mm leaf + GN031 90 mm mullion

Horizontal cross-section
Standard frame + intermediate leaf



GN011 65 mm frame + GN7219 87.5 mm leaf + GN032 100 mm mullion

Horizontal cross-section
Standard frame + wide leaf




GN011 65 mm frame + GN7229 97.5 mm leaf + GN033 110 mm mullion



Cross-sections

Horizontal cross-section


High frame + standard leaf (narrow)



GN012 75 mm frame + GN7209 77.5 mm leaf + GN031 90 mm mullion

Horizontal cross-section


High frame + intermediate leaf



GN012 75 mm frame + GN7219 87.5 mm leaf + GN032 100 mm mullion

Horizontal cross-section

High frame + wide leaf




GN012 75 mm frame + GN7229 97.5 mm leaf + GN033 110 mm mullion



FUTURO GENESIS 75 – concealed leaf – double-leaf window with a fixed mullion

As seen from the inside




Descriptive dimensions:

S skrz – leaf width,
 So – opening width,
 S – window ordering width,
 Ho – opening height,
 H – window ordering height,
 Hp – understructure height


Cross-sections

Horizontal cross-section
Standard frame + standard leaf



GN914US 82 mm frame + GN9229 62 mm leaf + GN930 144 mm mullion

Horizontal cross-section
High frame + standard leaf




GN910US 87 mm frame + GN9229 62 mm leaf + GN930 144 mm mullion



FUTURO Genesis 75

- double-leaf window with a movable mullion

As seen from the inside




Descriptive dimensions:

S skrz – leaf width,
So – opening width,
S – window ordering width,
Ho – opening height,
H – window ordering height,
Hp – understructure height

Cross-sections

Horizontal cross-section


Standard frame + standard leaf (narrow)



GN011 65 mm frame + GN7209 77.5 mm leaf + movable mullion

Horizontal cross-section


Standard frame + intermediate leaf



GN011 65 mm frame + GN7219 87.5 mm leaf + movable mullion

Horizontal cross-section

Standard frame + wide leaf




GN011 65 mm frame + GN7229 97.5 mm leaf + movable mullion



Cross-sections

Horizontal cross-section


High frame + standard leaf (narrow)



GN012 75 mm frame + GN7209 77.5 mm leaf + movable mullion

Horizontal cross-section


High frame + intermediate leaf



GN012 75 mm frame + GN7219 87.5 mm leaf + movable mullion

Horizontal cross-section

High frame + wide leaf




GN012 75 mm frame + GN7229 97.5 mm leaf + movable mullion



FUTURO GENESIS 75 – concealed leaf – double-leaf window with a movable mullion

As seen from the inside




Descriptive dimensions:

S skrz – leaf width,
So – opening width,
S – window ordering width,
Ho – opening height,
H – window ordering height,
Hp – understructure height


Cross-sections

Horizontal cross-section
Standard frame + standard leaf



GN914US 82 mm frame + GN9229 62 mm leaf + movable mullion


Horizontal cross-section
High frame + standard leaf



GN910US 87 mm frame + GN9229 62 mm leaf + movable mullion




FUTURO Genesis 75 - non-standard shapes




The cross-sections below present expansion joints marked. Expansion joints are used when there are logistics limitations, non-standard structures or widths exceeding 6,000 mm.

In the case of openable trapezoid structures, the minimum angle is 65°, as shown in the picture.



As seen from the inside




As seen from the inside



As seen from the inside






Cross-sections

Horizontal cross-section

Standard frame




GN011 65 mm frame + GN120 expansion joint

Descriptive dimensions:


S skrz - leaf width,
So - opening width,
S - window ordering width,
Ho - opening height,
H - window ordering height,
Hp - understructure height

Horizontal cross-section

Standard frame



GN011 65 mm frame + GN121 expansion joint




GN011 65 mm frame + GN125 expansion joint




CROSS-SECTIONS OF CONNECTORS AND WIDENINGS

GENESIS 75 ALU widenings


GN070 30 [mm], GN071 40 [mm], GN072 50 [mm], GN073 60 [mm], GN075 110 [mm]




PVC 503 undersill strip, understructure 30-300 mm (max)



GN150 90° connector
(external and internal connection)




Ultraglide connector (adapter) +
Genesis 75 UG650







VL75 connector - for the GN/GN connection



GENESIS VL148/UN510/VL150 transom/mullion vertical reinforcement




Expansion profiles – GN120, GN121, GN125






Ultraglide - Genesis 75 – angle connection + 90 degrees (external) GN160



Ultraglide - Genesis 75 – angle connection – 90 degrees (internal) GN150+GN075





SYSTEM LIMITATIONS

Structural and system limitations for windows GENESIS 75

	Turn, tilt and turn single-leaf windows/balconies	Turn, tilt and turn multi-leaf windows/balconies with a fixed mullion	Turn, tilt and turn double-leaf windows/balconies with a movable mullion	Tilt-only (hopper/awning) windows
Maximum surface area of the leaf	Narrow leaf	1.8 [m ²]		1.53 [m ²]
	Intermediate leaf	2.53 [m ²]		2.2 [m ²]
	Wide leaf	3 [m ²]		2.75 [m ²]
Maximum width of the leaf	Narrow leaf	1,000 [mm]		1,700 [mm]
	Intermediate leaf	1,100 [mm]		2,000 [mm]
	Wide leaf	1,230 [mm] 1,530 [mm]	1,230 [mm] 1,230 [mm]	2,230 [mm]
Maximum height of the leaf	Narrow leaf	1,800 [mm]		900 [mm]
	Intermediate leaf	2,300 [mm]		1,100 [mm]
	Wide leaf	2,480 [mm] 1,930 [mm]	2,480 [mm] 2,480 [mm]	1,230 [mm]
Maximum surface area of the window structure in a single frame	3.31 [m ²]	2.56 [m ²]	6.37 [m ²]	3 [m ²]
Maximum width of the structure	1,300 [mm]	1,600 [mm]	2,500 [mm]	2,300 [mm]
Maximum height of the structure	2,550 [mm]	2,000 [mm]	2,550 [mm]	1,300 [mm]
Maximum total weight of the leaf with a glass and Siegenia hardware		120 [kg] / 130 [kg]		80 [kg]
Leaf width to height ratio		>1:5		>5:1

Structural and system limitations for GENESIS 75 windows

	FIX fixed window	FIX fixed window (vertical mullion)	FIX fixed window (vertical mullion x2)	Fixed window FIX + Tilt and turn	Window Tilt and turn + FIX + Tilt and turn
Maximum surface area of the window structure in a single frame	10.9 [m ²]	16.8 [m ²]	15.3 [m ²]	16.8 [m ²]	
Maximum width of the structure	3,900 [mm]	6,000 [mm]	5,200 [mm]	6,000 [mm]	
Maximum height of the structure		2,800 [mm]		2,550 [mm]	
Maximum division of the FIX window			3,900 [kg]		
Maximum weight of the glass			500 [kg]		

Structural and system limitations for windows GENESIS 75 (concealed leaf)

	Turn, Tilt and turn single-leaf windows/balconies	Turn, Tilt and turn multi-leaf windows/balconies with a fixed mullion	Turn, Tilt and turn double-leaf windows/balconies with a movable mullion	Tilt-only (hopper/awning) windows
Maximum surface area of the leaf		2.9 [m ²]		2.6 [m ²]
Maximum width of the leaf		1,160 [mm]		2,250 [mm]
Maximum height of the leaf		2,510 [mm]		1,150 [mm]
Maximum surface area of the window structure in a single frame	3.06 [m ²]	6.12 [m ²]		2.76 [m ²]
Maximum width of the structure	1,300 [mm]	2,400 [mm]		2,300 [mm]
Maximum height of the structure	2,550 [mm]	2,550 [mm]		1,200 [mm]
Maximum total weight of the leaf with glass with Siegenia TITAN AF AX 24+ concealed hardware		130 [kg]		80 [kg]
Leaf width to height ratio		>1:5		>5:1



Hardware types and ranges of application

Hardware type	Leaf weight	Leaf surface
Siegenia – TITAN AF standard hinges	≤120 kg	3 [m ²]
Siegenia – TITAN AF AX 24+ concealed hinges	≤130 kg	3 [m ²]

ACCESSORIES

Windows equipped with Siegenia TITAN AF hardware

KoPiBo movable, rotary anti-burglary bolts (mushroom cams)

- provide high durability, precise fit, and automatic adjustment of the height of the mushroom cams, which enables smooth operation with frame elements, regardless of the temperature-induced changes in window dimensions



Striker plate with a lift roller (inliner)

- located in the lower corner frame, it facilitates placing the leaf into the frame, acting as a lifter.

Two anti-burglary striker plates as standard

- work with the rotary bolts, increase window tightness, and make it difficult for a burglar to force the leaf open thanks to the presence of a metal orifice. All the TITAN AF striker plates are steel.

Mishandling device

- prevents the handle from being turned when the window is open or ajar.

Stay locking support and anti-slam device

- facilitates the closing of wide leafs and prevents the tilted leaf from slamming shut in the event of a draught.

Concealed hardware

- all the hardware components are concealed in the window rebate, which improves aesthetics and makes it easier to maintain cleanliness. The load capacity of the concealed hinges is 130 kg.





AVAILABLE COLOURS

Standard colours (mat structure)



Colours

Modern Black (RAL 9005) mat structure – (colour similar to Black Ulti-Matt PVC)*
7016 SILK – (colour similar to Dark Grey Silk PVC)*

*PLEASE NOTE! – suggested matching, the final choice depends on the customer's preferences



Special colours (mat structure)



Special RAL (mat structure) colours

RAL 1001, RAL 1003, RAL 1015, RAL 1016, RAL 1018, RAL 1019, RAL 1021, RAL 1023, RAL 1028, RAL 1032, RAL 2000, RAL 2001, RAL 2002, RAL 2003, RAL 2004, RAL 2008, RAL 2009, RAL 2010, RAL 2011, RAL 3001, RAL 3002, RAL 3003, RAL 3004, RAL 3005, RAL 3007, RAL 3009, RAL 3011, RAL 3012, RAL 3013, RAL 3016, RAL 3018, RAL 3020, RAL 3031, RAL 4004, RAL 4005, RAL 4006, RAL 4007, RAL 4008, RAL 4010, RAL 5000, RAL 5001, RAL 5002, RAL 5005, RAL 5007, RAL 5010, RAL 5011, RAL 5012, RAL 5013, RAL 5014, RAL 5015, RAL 5017, RAL 5018, RAL 5021, RAL 5022, RAL 5023, RAL 5024, RAL 6001, RAL 6003, RAL 6004, RAL 6007, RAL 6008, RAL 6011, RAL 6014, RAL 6015, RAL 6016, RAL 6017, RAL 6018, RAL 6019, RAL 6021, RAL 6022, RAL 6027, RAL 6029, RAL 6033, RAL 6034, RAL 7000, RAL 7001, RAL 7002, RAL 7003, RAL 7004, RAL 7005, RAL 7008, RAL 7009, RAL 7010, RAL 7011, RAL 7012, RAL 7015, RAL 7022, RAL 7023, RAL 7030, RAL 7031, RAL 7032, RAL 7033, RAL 7034, RAL 7036, RAL 7037, RAL 7038, RAL 7039, RAL 7040, RAL 7042, RAL 7044, RAL 7045, RAL 7046, RAL 8000, RAL 8001, RAL 8002, RAL 8003, RAL 8004, RAL 8007, RAL 8008, RAL 8011, RAL 8012, RAL 8015, RAL 8016, RAL 8017, RAL 8019, RAL 8022, RAL 8023, RAL 8025, RAL 8028, RAL 9002, RAL 9003, RAL 9004, RAL 9005, RAL 9008, RAL 9010, RAL 9011, RAL 9017, RAL 9018



Film coatings – standard colours




Golden Oak
2178001-167



Walnut
2178007



Winchester
49240




Anthracite Grey
701605



Woodec Turner Oak Malt
f470-3001



Woodec Turner Oak Toffee
f470-3004




Dark Grey Silk
4367003

Film coatings – non-standard colours



Sapeli
2065021




Dark Oak
2052089



Chocolate Brown
887505




Siena Rosso
49233



Siena Noce
49237



Douglas Fir V
3069037



Natural Oak
3118076



Rustic Oak V
3156003



Macore
3162002



Light Sheffield Oak
4563081



AnTEAK
3241002-195



Swamp Oak
3167004-167



Summer Cherry
3214009-195



Siena PL
49254



Sheffield Oak Grey
F436-3086



Anthracite Quartz
F4361014



Black Cherry
3202001-167




Rustic Oak
3149008-167



Oregon
1192001-167




Cream White
137905



Dark Green
612505




Metbrush Silver
4361002




Earl Platinum 1293010



Woodec Sheffield Oak Alpine
f470-3002



Woodec Sheffield Oak
Concrete f470-3003



Anthracite Quartz Mat f470
-1014




Irish Oak
3211305-1148



Black Ulti-Matt
47097



Silver Grey
715505



Anthracite Grau Matt
F4706003



Film coating colour	Primer colour	Standard hinge cover colour	Standard handle colour
Golden Oak 2178001-167	RAL 8003 Clay Brown	F4	F4
Walnut 2178007	RAL 8011 Walnut Brown	F9	F9
Winchester 49240	RAL 8001 Brown-Orange	F1	F1
Anthracite Grey 701605	RAL 7016 Grey Anthracite	F1	F1
Woodec Turner Oak Malt f470-3001	RAL 1001 Beige	F1	F1
Woodec Turner Oak Toffee f470-3004	RAL 8028 Clay Brown	F1	F1
Dark Grey Silk 4367003	RAL 7016 Grey Anthracite	F1	F1
Sapeli 2065021	RAL 8017 Chocolate Brown	F4	F4
Dark Oak 2052089	RAL 8017 Chocolate Brown	F1	F1
Chocolate Brown 887505	RAL 8019 Chocolate Brown	Black	Black Mat 9005
Siena Rosso 49233	RAL 8011 Walnut Brown	F1	F1
Siena Noce 49237	RAL 8028 Chocolate Brown	F1	F1
Douglas Fir V 3069037	RAL 8003 Clay Brown	F1	F1
Natural Oak 3118076	RAL 1001 Beige	F1	F1
Rustic oak V 3156003	RAL 8028	F1	F1
Macore 3162002	RAL 8002 Signal Brown	F1	F1
Light Sheffield Oak 4563081	RAL 1019 Beige-Grey	F1	F1
AnTEAK 3241002-195	RAL 1019 Beige-Grey	F1	F1
Swamp Oak 3167004-167	RAL 8019 Brown-Grey	Black	Black Mat 9005
Summer Cherry 3214009-195	RAL 8002 Signal Brown	F1	F1
Siena PL 49254	RAL 8024 Brown-Beige	F1	F1
Sheffield Oak Grey F436-3086	RAL 7006	F1	F1
Anthracite Quartz F4361014	DB703 mat	F1	F1
Black Cherry 3202001-167	RAL 8002 Signal Brown	F1	F1
Rustic Oak 3149008-167	RAL 8028	F1	F1
Oregon 1192001-167	RAL 8001	F1	F1
Cream White 137905	RAL 9001 Cream	F1	F1
Dark Green 612505	RAL 6009 Fir Green	F1	F1
Metbrush Silver 4361002	RAL 9006 White Aluminium	F1	F1
Earl Platinum 1293010	RAL 7016 Grey Anthracite	F1	F1
Woodec Sheffield Oak Alpine f470-3002	RAL 7044 Silk Grey	F1	F1
Woodec Sheffield Oak Concrete f470-3003	RAL 7037 Steel Grey	F1	F1
Anthracite Quartz Mat f470 -1014	DB703 mat	F1	F1
Irish Oak 3211305-1148	RAL 8001 Brown-Ochre	F1	F1
Black Ulti-Matt 47097	RAL 9005 Jet Black	Black	Black Mat 9005
Silver grey 715505	RAL 7040 Dark Grey	F1	F1
Anthracite Grey Mat F4706003	RAL 7016	F1	F1




DIMENSIONING

Installation in the opening


Horizontal cross-section

Exterior



Interior


Vertical cross-section



S skrz - leaf width,
So - opening width,
S - window ordering width,
Ho - opening height,
H - window ordering height,
Hp - understructure height



Spacing of anchors / dowels - STANDARD windows



GLASS PANES

When using glass 4 [mm] thick – the maximum side length can be 2,440 [mm] (maximum side ratio 1:8), maximum surface up to 3.35 [m²]. The above standard dimensional limitations apply only to clear glazing units installed vertically in locations where increased wind loads do not occur. The limitations do not take into account the effect of heat reflective coatings on the increase of the temperature inside the glazing units and the effect of the changes in atmospheric pressure resulting from fitting in mountainous areas.

The permissible glass sizes do not take into account the customer's detailed requirements regarding safety, wind load, etc.

When using varying thickness of glass in the glazing unit, the maximum surface is determined with reference to the thinner glass.

In accordance with the regulations of the Polish Building Law, safety glass should be used in the bottom section of the window up to the height of 850 [mm] (in buildings up to 25 [m] high) and 1,100 [mm] (in buildings over 25 [m]).


WARM EDGE

Available in the following colours for the ALU window range:
Light Grey 7035, Grey 7040, Black 9005, Light Brown 8003, Brown 8016, White 9016.




THERMAL VARIANTS


FUTURO Genesis ST



FUTURO Genesis I



FUTURO Genesis I+




WINDOW HANDLES

BASIC




BASIC


available colours:

BASIC K
with a key lock


available colours:

BASIC P
with a locking button


available colours:

BASIC double-sided
balcony

available colours:


BASIC double-sided flat for
roller shutter

available colours:




**ROUND****ROUND**


available colours:

**ROUND K**
with a key lock


available colours:

**CUBE****CUBE**


available colours:

**CUBE K**
with a key lock


available colours:

**CUBE P**
with a locking button


available colours:

**HOPPE****Secustic Luxembourg**

available colours:


**Secustic Luxembourg**
with a key lock

available colours:




**Atlanta**


available colours:

white
silver
old gold
titanium**Atlanta**
with a key lock


available colours:

white
silver
old gold
titanium**Toulon**


available colours:

white
silver
old gold
titanium**Toulon**
with a key lock


available colours:

white
silver
old gold
titanium**Toulon**
with a locking button


available colours:

white
silver
old gold
titanium**Tokyo**


available colours:

white
silver
old gold
titanium**Tokyo**
with a key lock

available colours:

white
silver
old gold
titanium**Tokyo**
with a locking button

available colours:

white
silver
old gold
titanium





Window type	FUTURO Genesis 75	FUTURO Genesis 75 Concealed Leaf
Number of chambers in the frame	3 chambers	3 chambers
Profile thickness	75 mm frame and 84 mm leaf	75 mm frame and 79.5 mm leaf
Infill thickness	max 65 mm / fix 56mm	max 62 mm / fix 59 mm
Gaskets around the circumference	3	3
Structural reinforcement	not applicable	not applicable
Standard glazing unit	two-chamber 4/18/4/18/4 Ug=0.5 W/m ² k	two-chamber 4/18/4/18/4 Ug=0.5 W/m ² k
Hardware	Siegenia Titan AF circumferential (perimeter) hardware	Siegenia Titan AF circumferential (perimeter) hardware
Handle	Aluminium	Aluminium
Also available in class	---	---
Widening	Optional	Optional

**WIŚNIOWSKI**

WIŚNIOWSKI Sp. z o.o. S.K.A.
PL 33-311 Wielogłowy 153
tel. +48 18 44 77 111
www.wisniowski.pl/en

Let us inspire you!
See other solutions from WIŚNIOWSKI!



The products shown in this publication often feature special accessories and do not always correspond to their standard versions. • The technical data sheet does not constitute an offer within the meaning of the Polish Civil Code. • The manufacturer reserves the right to introduce changes without notice. • NOTE: The colours shown in the technical data sheet are for reference only. • All rights reserved. • Copying and use, in part or in full, is prohibited without the consent of WIŚNIOWSKI Sp. z o.o. S.K.A. • FUTURO Genesis 75 windows /02.25/EN